## Message

From: Martinson, Mathew [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=07993C0BB86D42E4806A6EAE5184A611-MARTINSON,]

**Sent**: 10/1/2019 4:56:49 PM

To: Baron, Adam [/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=563ef058707d4930868c6cf1e0828a43-Baron, Adam]

CC: Contreras, Peter [/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=3c7e515833814b74a7ebafcfef8b6322-Contreras, Peter]; Kenknight, Jeff

[/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=803cda0c34f14c298367a1c90825ef16-Kenknight, Jeff]; Burgess, Karen

[/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=9085a27e8d724564890f33d47c72d9d1-Burgess, Karen]

**Subject**: Re: Signed copy of EPA letter

Hello,

I think it is significant that they reminded EPA that EPA is their trustee. It's not a surprise, but I think it's something to continue to consider in our internal coordination and in the discussions with legal counsel.

To that end, it might be a good idea to get an update directly from IHS, as EPA ECAD did in May. I'm happy to put you in-touch with the Acting Division Director, Craig Haugland.

Thank you, Mat

Sent from my iPhone

On Sep 30, 2019, at 9:10 PM, Baron, Adam < Baron. Adam@epa.gov> wrote:

FYI this came in just before COB today.

<mage001.png> Adam Baron

Drinking Water Enforcement Officer

Field, Data, & Drinking Water Enforcement Section Enforcement and Compliance Assurance Division U.S. Environmental Protection Agency, Region 10

1200 Sixth Avenue, Suite 155 Seattle, Washington 98101 Office (206) 553-6361 baron.adam@epa.gov

From: Ellen H. Grover < ehg@karnopp.com > Sent: Monday, September 30, 2019 4:27 PM

To: Baron, Adam <Baron.Adam@epa.gov>; Thurmon, Clarke <Thurmon.Clarke@epa.gov>

**Cc:** Raymond Tsumpti < raymond.tsumpti@wstribes.org>; Alyssa Macy < alyssa.macy@wstribes.org>; michele stacona < michele.stacona@wstribes.org>; Nancy J. Hanson < njh@karnopp.com>; Brenda L

Collette <BLC@karnopp.com>; Ellen H. Grover <ehg@karnopp.com>

Subject: FW: Signed copy of EPA letter

Hi Adam and Clarke. Attached is the signed extension letter. Thank you!

## Ellen Grover | Karnopp Petersen LLP

Partner

v: 541.382.3011 | e: ehg@karnopp.com

From: Alyssa Macy [mailto:alyssa.macy@wstribes.org]

Sent: Monday, September 30, 2019 4:01 PM

To: Ellen H. Grover <ehg@karnopp.com>; Michele Stacona <michele.stacona@wstribes.org>; Raymond

Tsumpti < raymond.tsumpti@wstribes.org>

Subject: Signed copy of EPA letter

Ellen, the signed EPA letter is attached.

## Alyssa



Alyssa Macy
Chief Operations Officer, Confederated Tribes of Warm Springs, Oregon
541-553-3212
https://warmsprings-nsn.gov/
1233 Veterans Street / PO Box 455, Warm Springs, OR 97761





Create your own email signature

----- Forwarded message -----

From: <scanners@wstribes.org>
Date: Mon, Sep 30, 2019 at 4:00 PM
Subject: Message from KM\_C754e
To: <Alyssa.macy@wstribes.org>

Electronic Privacy Statement. This e-mail message, including any attachments, is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged and/or confidential. If you are not the intended recipient or the employee or agent responsible for delivering the communication to the intended recipient, please notify us immediately by replying to this message and then delete this message from your system. You are hereby notified that any use, dissemination, distribution and/or reproduction of this message and/or any attachments by unintended recipients is unauthorized and may be unlawful.

CONFIDENTIALITY NOTICE: The information contained in this e-mail is intended only for the use of the designated recipients named above. This email, and any documents, files or previous e-mails attached to it, may be a confidential attorney-client

communication or otherwise privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this transmittal in error, and that any review, dissemination, distribution or copying of the transmittal is STRICTLY PROHIBITED. If you have received this e-mail in error, please notify us immediately by telephone (call us collect at 541.382.3011). Thank you.

<SKM\_C754e19093016070.pdf>